DOCUMENTATION OF ENVIRONMENTAL INDICATOR DETERMINATION

Interim Final 2/5/99

RCRA Corrective Action Environmental Indicator (EI) RCRIS code (CA750)

Migration of Contaminated Groundwater Under Control

Facility Name:	Asea Brown Boveri, Inc.	
Facility Address:	Greensburg, PA	
Facility EPA ID #:	PAD 08 295 7127	
groundwater r	ble relevant/significant information on known and reasonably suspected releases to the nedia, subject to RCRA Corrective Action (e.g., from Solid Waste Management Units gulated Units (RU), and Areas of Concern (AOC)), been considered in this EI determination? If yes - check here and continue with #2 below. If no - re-evaluate existing data, or	
	if data are not available skip to #6 and enter "IN" (more information needed) status code.	

BACKGROUND

Definition of Environmental Indicators (for the RCRA Corrective Action)

Environmental Indicators (EI) are measures being used by the RCRA Corrective Action program to go beyond programmatic activity measures (e.g., reports received and approved, etc.) to track changes in the quality of the environment. The two EI developed to-date indicate the quality of the environment in relation to current human exposures to contamination and the migration of contaminated groundwater. An EI for non-human (ecological) receptors is intended to be developed in the future.

Definition of "Migration of Contaminated Groundwater Under Control" EI

A positive "Migration of Contaminated Groundwater Under Control" EI determination ("YE" status code) indicates that the migration of "contaminated" groundwater has stabilized, and that monitoring will be conducted to confirm that contaminated groundwater remains within the original "area of contaminated groundwater" (for all groundwater "contamination" subject to RCRA corrective action at or from the identified facility (i.e., site-wide)).

Relationship of EI to Final Remedies

While Final remedies remain the long-term objective of the RCRA Corrective Action program the EI are near-term objectives which are currently being used as Program measures for the Government Performance and Results Act of 1993, GPRA). The "Migration of Contaminated Groundwater Under Control" EI pertains ONLY to the physical migration (i.e., further spread) of contaminated ground water and contaminants within groundwater (e.g., nonaqueous phase liquids or NAPLs). Achieving this EI does not substitute for achieving other stabilization or final remedy requirements and expectations associated with sources of contamination and the need to restore, wherever practicable, contaminated groundwater to be suitable for its designated current and future uses.

Duration / Applicability of EI Determinations

EI Determinations status codes should remain in RCRIS national database ONLY as long as they remain true (i.e., RCRIS status codes must be changed when the regulatory authorities become aware of contrary information).

2.	Is groundwater known or reasonably suspected to be " contaminated " above appropriately protective "levels" (i.e., applicable promulgated standards, as well as other appropriate standards, guidelines, guidance, or criteria) from releases subject to RCRA Corrective Action, anywhere at, or from, the facility?			
		•	ue after identifying key contaminants, citing appropriate "levels," and apporting documentation.	
	X	If no - skip to #8 and enter "YE" status code, after citing appropriate "levels," and referencing supporting documentation to demonstrate that groundwater is not "contaminated."		
	If unknown -		skip to #8 and enter "IN" status code.	
	Rationale and R	Reference(s):	a) Corrective Action Facility Report, PADEP, 07/29/94 b) Site Inspection of ASEA Brown Boveri, NUS, 10/24/91 c) Preparedness, Prevention, and Contingency Plan, BBC Brown Boveri, Inc., 1994 d) PADEP, Hazardous Waste Inspection Reports from 07/06/81 to 05/02/90 e) letter to file dated 07/29/94 project manager Ms. Atkinson	

There is no GW monitoring wells on the facility. All areas of the facility are covered by buildings or paving except for the 1 to 2 foot perimeter around the scrap metal storage yard, the "office parking." All storm water runoff collects in the storm drainage basin in the southern portion of the property. The storm drain does not release to groundwater. No data is available for groundwater conditions under the of the facility. Also, there is a public water supply in the area of the facility.

Surface water geochemistry revealed no release of hazardous wastes from the former landfill area. It appears to receive input from storm drains on Broad Street and Short Street upgradient from the landfill.

All assembly and servicing operations were performed indoors on concrete slab buildings and did not have a direct soil pathway. All outdoor areas was used for equipment and solid waste storage are paved with concrete or asphalt and did not have a direct soil pathway. There was no outdoor hazardous waste or chemical storage except for the two drums of D001 ignitable waste stored on the northwestern side of the plant building.

Storm water runoff from paved areas on the facility flows down gradient in a southerly direction. The storm water outfall runs underground from the storage area to Jack's Run. Storm water discharges are regulated under NPDES Permit. Jack's Run flows into the Youghiogheny River many miles from the plant. McMurry's lake is the only public water intake south of the site.

¹ "Contamination" and "contaminated" describes media containing contaminants (in any form, NAPL and/or dissolved, vapors, or solids, that are subject to RCRA) in concentrations in excess of appropriate "levels" (appropriate for the protection of the groundwater resource and its beneficial uses).

3.	Has the migration of contaminated groundwater stabilized (such that contaminated groundwater is expected to remain within "existing area of contaminated groundwater" as defined by the monitoring locations designated at the time of this determination)?		
	If yes - continue, after presenting or referencing the physical evidence (e.g., ground sampling/measurement/migration barrier data) and rationale why contaminated groundwater is expected to remain within the (horizontal or vertical) dimensions of "existing area of groundwater contamination" ²).		
	designated loca	ninated groundwater is observed or expected to migrate beyond the ocations defining the "existing area of groundwater contamination" ²) - skip to "NO" status code, after providing an explanation.	
	If unknown - sk	kip to #8 and enter "IN" status code.	
	Rationale and Reference(s):	 a) Corrective Action Facility Report, PADEP, 07/29/94. b) Site Inspection of ASEA Brown Boveri, NUS, 10/24/91. c) Preparedness, Prevention, and Contingency Plan, BBC Brown Boveri, Inc., 1994. d) PADEP, Hazardous Waste Inspection Reports from 07/06/81 to 05/02/90. e) letter to file dated 07/29/94 from project manager Ms. Atkinson. 	

² "existing area of contaminated groundwater" is an area (with horizontal and vertical dimensions) that has been verifiably demonstrated to contain all relevant groundwater contamination for this determination, and is defined by designated (monitoring) locations proximate to the outer perimeter of "contamination" that can and will be sampled/tested in the future to physically verify that all "contaminated" groundwater remains within this area, and that the further migration of "contaminated" groundwater is not occurring. Reasonable allowances in the proximity of the monitoring locations are permissible to incorporate formal remedy decisions (i.e., including public participation) allowing a limited area for natural attenuation.

4.	Does "contaminated" groundwater discharge into surface water bodies?			
	If yes - continu	e after identifying potentially affected surface water bodies.		
	If no - skip to #7 (and enter a "YE" status code in #8, if #7 = yes) after pro explanation and/or referencing documentation supporting that groundwate "contamination" does not enter surface water bodies.			
	If unknown - skip to #8 and enter "IN" status code.			
	Rationale and Reference(s):	 a) Corrective Action Facility Report, PADEP, 07/29/94. b) Site Inspection of ASEA Brown Boveri, NUS, 10/24/91. c) Preparedness, Prevention, and Contingency Plan, 1994. d) PADEP, Hazardous Waste Inspection Reports from 07/06/81 to 05/02/90. e.) letter to file dated 07/29/94 (EPA, Region III project manager Ms. Atkinson. 		

Is the discharge of "contaminated" groundwater into surface water likely to be "in maximum concentration ³ of each contaminant discharging into surface water is less appropriate groundwater "level," and there are no other conditions (e.g., the nature, discharging contaminants, or environmental setting), which significantly increase the unacceptable impacts to surface water, sediments, or eco-systems at these concentrations.			contaminant discharging into surface water is less than 10 times their and there are no other conditions (e.g., the nature, and number, of ironmental setting), which significantly increase the potential for
	the m disch there profe disch	naximum ka arged abov is evidence essional jud arge of gro	for (and enter "YE" status code in #8 if #7 = yes), after documenting: 1) mown or reasonably suspected concentration ³ of <u>key</u> contaminants we their groundwater "level," the value of the appropriate "level(s)," and if the that the concentrations are increasing; and 2) provide a statement of legement/explanation (or reference documentation) supporting that the bundwater contaminants into the surface water is not anticipated to have apacts to the receiving surface water, sediments, or eco-system.
If no - (the discharge of "contaminated" groundwater into surface water is posignificant) - continue after documenting: 1) the maximum known or reasonal suspected concentration ³ of <u>each</u> contaminant discharged above its groundwater value of the appropriate "level(s)," and if there is evidence that the concentration; and 2) for any contaminants discharging into surface water in congreater than 100 times their appropriate groundwater "levels," the estimated to (mass in kg/yr) of each of these contaminants that are being discharged (loader surface water body (at the time of the determination), and identify if there is eather than amount of discharging contaminants is increasing.			ntinue after documenting: 1) the maximum known or reasonably entration ³ of <u>each</u> contaminant discharged above its groundwater "level," appropriate "level(s)," and if there is evidence that the concentrations are 2) for any contaminants discharging into surface water in concentrations 3 times their appropriate groundwater "levels," the estimated total amount of each of these contaminants that are being discharged (loaded) into the ody (at the time of the determination), and identify if there is evidence
	If unl	known - en	ter "IN" status code in #8.
	Rationale and Refere	nce(s):	 a) Corrective Action Facility Report, PADEP, 07/29/94. b) Site Inspection of ASEA Brown Boveri, NUS, 10/24/91. c) Preparedness, Prevention, and Contingency Plan, BBC Brown Boveri, Inc., 1994. d) PADEP, Hazardous Waste Inspection Reports from 07/06/81 to 05/02/90. e) letter to file dated 07/29/94 (EPA, Region III project manager Ms. Atkinson.

³ As measured in groundwater prior to entry to the groundwater-surface water/sediment interaction (e.g., hyporheic) zone.

6.	Can the discharge of "contaminated" groundwater into surface water be shown to be " currently acceptable " (i.e., not cause impacts to surface water, sediments or eco-systems that should not be allowed to continue until a final remedy decision can be made and implemented ⁴)?		
	If yes - continue after either: 1) identifying the Final Remedy decision incorporating these conditions, or other site-specific criteria (developed for the protection of the site's surface water, sediments, and eco-systems), and referencing supporting documentation demonstrating that these criteria are not exceeded by the discharging groundwater; OR 2) providing or referencing an interim-assessment, ⁵ appropriate to the potential for impact, that shows the discharge of groundwater contaminants into the surface water is (in the opinion of a trained specialists, including ecologist) adequately protective of receiving surface water, sediments, and eco-systems, until such time when a full assessment and final remedy decision can be made. Factors which should be considered in the interim-assessment (where appropriate to help identify the impact associated with discharging groundwater) include: surface water body size, flow, use/classification/habitats and contaminant loading limits, other sources of surface water/sediment contamination, surface water and sediment sample results and comparisons to available and appropriate surface water and sediment "levels," as well as any other factors, such as effects on ecological receptors (e.g., via bio-assays/benthic surveys or site-specific ecological Risk Assessments), that the overseeing regulatory agency would deem appropriate for making the EI determination.		
	If no - (the discharge of "contaminated" groundwater can not be shown to be "currently acceptable") - skip to #8 and enter "NO" status code, after documenting the currently unacceptable impacts to the surface water body, sediments, and/or eco-systems.		
	If unknown - skip to 8 and enter "IN" status code. Rationale and Reference(s): a) Corrective Action Facility Report, PADEP, 07/29/94. b) Site Inspection of ASEA Brown Boveri, NUS, 10/24/91. c) Preparedness, Prevention, and Contingency Plan, BBC Brown Boveri, Inc., 1994. d) PADEP, Hazardous Waste Inspection Reports from 07/06/81 to 05/02/90. e) letter to file dated 07/ 29/94 from project manager Ms. Atkinson.		

⁴ Note, because areas of inflowing groundwater can be critical habitats (e.g., nurseries or thermal refugia) for many species, appropriate specialist (e.g., ecologist) should be included in management decisions that could eliminate these areas by significantly altering or reversing groundwater flow pathways near surface water bodies.

⁵ The understanding of the impacts of contaminated groundwater discharges into surface water bodies is a rapidly developing field and reviewers are encouraged to look to the latest guidance for the appropriate methods and scale of demonstration to be reasonably certain that discharges are not causing currently unacceptable impacts to the surface waters, sediments or eco-systems.

7.	Will groundwater monitoring / measurement data (and surface water/sediment/ecological data, as necessary) be collected in the future to verify that contaminated groundwater has remained within the horizontal (or vertical, as necessary) dimensions of the "existing area of contaminated groundwater?"			
	If yes - continue after providing or citing documentation for planned activities or futus sampling/measurement events. Specifically identify the well/measurement locations which will be tested in the future to verify the expectation (identified in #3) that groundwater contamination will not be migrating horizontally (or vertically, as necessary) beyond the "existing area of groundwater contamination."			
	X If no - enter "NO" status code in #8.			
		If unknown - en	nter "IN" status code in #8.	
Rationale and Reference(s):		Reference(s):	 a) Corrective Action Facility Report, PADEP, 07/29/94. b) Site Inspection of ASEA Brown Boveri, NUS, 10/24/91. c) Preparedness, Prevention, and Contingency Plan, BBC Brown Boveri, Inc., 1994. d) PADEP, Hazardous Waste Inspection Reports from 07/06/81 to 05/02/90. e) letter to file dated 07/29/94 (EPA, Region III project manager Ms. Atkinson. 	

There is no GW monitoring wells on the facility.

8.	Check the appropriate RCRIS status codes for the Migration of Contaminated Groundwater Under Control EI (event code CA750), and obtain Supervisor (or appropriate Manager) signature and date on the EI determination below (attach appropriate supporting documentation as well as a map of the facility).					
	<u>X</u>	YE - Yes, "Migration of Contaminated Groundwater Under Control" has been verified. Based on a review of the information contained in this EI determination, it has been determined that the "Migration of Contaminated Groundwater" is "Under Control" at the at the Asea Brown Boveri, Inc. facility, EPA ID # PAD 08 295 7127, located in Greensburg, PA. Specifically, this determination indicates that the migration of "contaminated" groundwater is under control, and that monitoring will be conducted to confirm that contaminated groundwater remains within the "existing area of contaminated groundwater" This determination will be re-evaluated when the Agency becomes aware of significant changes at the facility.				
		NO - Unacceptable migration of contaminated groundwater is observed or expected.				
		IN - More information is needed to make a determine	nation.			
	Completed by	(signature) signed by VEI	Date 5-1-02			
		(print) Victoria Ioff	<u></u>			
		(title) Remedial Project Manager	_			
	Supervisor	(signature) signed by PG (print) Paul Gotthold (title) PA Operations Branch Chief EPA, Region 3,	Date <u>5-2-02</u>			
	Locations whe	re References may be found:				
	1650 Arch Stro Philadelphia, F					
	Contact telephon	e and e-mail numbers				
	(name) Ioff, Victoria				
	(phon					
	(e-ma					